



Oceans Institute



Two decades of surface current observations using drifters



Charitha Pattiaratchi /
Oceans Graduate School and UWA Oceans Institute

29 / November / 2023

7

Coastal Oceanography

Forum for Operational Oceanography

Acknowledgements



- David Johnson
- Alexio Mariani
- Florence Verspecht
- Dale Olsson[†]
- Eve Hollingsworth
- Rhys Jones
- Yasha Hetzel
- Ivica Janekovic
- Badema Grcic
- Mirjam van der Mheen
- Fengyao Jin
- Prescilla Siji
- Nick D'Adamo
- Dennis Stanley






- Jason McConochie
- Phil Watson
- Shell
- Woodside




Historical















Human 'Drifter': surfer






Glider 'Drifter'







Drifters (or Lagrangian current followers)



Instructions for use:

- Throw it in the water
- Somehow record where it goes
- Hope it behaves exactly like the volume of fluid it displaces would have
- Wish that it remains in the water without beaching



Drifter Design ('off-shelf')





- Simple easy to make
- Small easy to deploy/recover
- Robust able to survive harsh conditions
- Low cost suitable for small research projects/budgets
- Accurate good positioning accuracy




Drifter Design











David Johnson et al.

Ocean surface drifters





• Commercial drifters: A\$2000 – A\$15,000

holey-sock drogue

15 m depth

• DIY drifters: ~A\$500

- SPOT Trace
- Batteries
- Ballast
- Housing
- (Drogue)
- Satellite subscription






NOAA

Misc drifters










George Cresswell










Deployment - 2009











Deployment










QA/QC data










Surf zone drifters



- Parachute type drogues are used to prevent surfing
- Data recovery still over 99% even in very energetic conditions








Surf zone validation











Johnson & Pattiaratchi, 2004

Rip currents










Johnson & Pattiaratchi, 2004

Longshore currents











Rip currents: adjacent to structures







Ocean drifters










BODY (Browse Ocean Drifters for a Year)






> 200 drifter tracks

'All' drifters




Wilyunup Canyon




'All' drifters





'All' drifters






> 150 drifter tracks 2020-2023


BODY (Browse Ocean Drifters for a Year)






BODY drifters






BODY drifters






Forcing (BODY)






Forcing: semi-diurnal






Forcing: diurnal






Forcing: inertial






Forcing: inertial






Forcing: eddies






SW Australia: Southern Surveyor 2010








RV Falkor 2020





10 Drifters deployed

At 5 locations


February 21st - 23rd

In Perth Canyon

Excursion (~9 months): 1000 km north 2000 km south


South-west Australia





Drifter 4403522






Western Indian Ocean




Monaco Explorations Indian Ocean Expedition (ME-IOE) Nick D'Adamo

24 x UWA-OI PVC-housed surface drifter drogues (SSD) (symbol X on the chart)


6 Meteo-France (SVP) drogues (symbol O on the chart)





Western Indian Ocean





Future?





Drifter manufacture



